

**C-Fold Towels**

- Ref. 619* 1 PCMC C-Fold machine, year 1975, working width 1.320 mm (4-lanes), folded size 250 x 100 mm, unfolded size 250 x 330 mm, with driven unwind stand, 1-colour printing, embossing station (nested embossing) with steel/steel embossing rollers, length slitting device, C-folder, furthermore with HAYSSEN banding machine (paper banderoles) and VIKING bag filler, very good condition (completely overhauled), available from now
- Ref. 665* 1 semi automatic MTC Interfolder ITF 500, for Handtowels, width 1250 mm, year 2001/2005, with 1 unwind stand max. reel dia 1500 mm, length cutting and 90 degree turning station, 2 position embossing steel/rubber, Interfolder 222 mm cut-off, 1 banding unit (poly), 1 log saw, production speed 90 - 100 m/min. very good condition, available from now
- Ref. 1161* 1 MTC Interfolder model MTF 1000, for Z-Fold handtowels, year 2000, width 1.360 mm, with 2 driven unwinds incl. reel lifting crane 1 to, double embossing DERL with lamination, interfolder for 240 mm cut-off x 230 mm, 1 film-bander FLW1400, automatic log saw FLS 90 - line speed 90 meter/ minute resp. 180 cases of 25 packs à 200 sheets per 8 hours shift - excellent condition, available from now

**Industrial Rolls, Jumbo Rolls**

- Ref. 1061* 1 PERINI 110G series log saw for industrial rolls, maximum log length 2.800 mm, log diameter up to 250 mm, speed up to 90 cuts per minute, roll length from 50 mm up to 1.000 mm, very good condition (fully refurbished), available from now.
- Ref. 1153* 1 ITALCONVERTING R 350 Industrial Roll Rewinder width 2750 mm, year 2000 with 1 Unwind Station, Perforation 95 - 720 mm, Embossing steel/rubber, Ply-Bonder, Slitter, Tail Sealer, log diameter range 90 - 320 mm, speed 350 meter per minute, very good production condition, available from now

**Napkins, Serviettes**

- Ref. 671* 1 double-lane HOBEMA napkin folder 14 M-2, year 1991, size 33 x 33 cm, with 2-colour flexo printing, driven turret-type unwind stand, satining calendar, FIFE web aligner, hot-air dryer, embossing station with 2 sets of steel/steel embossing rollers (2 x border embossing / 1 x allover embossing), with automatic transfer for size 33 cm, noise protection cabin, production speed up to 450 m/min. resp. 50 pack / min., very good condition, ready for production, available from now - Wrapping Machine and Case Packer on request
- Ref. 737* 1 SENNING 522 SE/P napkin wrapping machine, year 1976 (refurbished end 2007), with size parts for napkins size 40 x 40 cm / 20 napkins per pack (additional sizes possible in a range of length x width 120 - 220 mm, height 18 - 150 mm), print mark control, compression station, control "no pack - no film", special infeed chain, standard perforation, production speed approx. 40 packs / min., good condition, available from now
- Ref. 745* 1 Napkin Line OMET, with TWO Folders OMET TV501 2A, year 1991, size 25 cm, each with unwind stand incl. reel lifter, web aligner, 2-colour printing, hot air dryer, embossing station with steel/paper rollers for allover embossing, 1 set of folding cylinders 25 cm, automatic transfer, speed approx. 400 m/min. PER MACHINE, 1 wrapper CASSOLI PAC 340 TP2 (speed 50 packs/min.), with case packer CASSOLI IN/4-B2, the line has been overhauled in 2006, very good production condition, available from now.

- Ref. 881* 1 HOBEMA napkin folder model 14H, year 1992, for sizes 30 x 30 and 33 x 33 cm, with 5-colour printing tower incl. printing units, as well as with driven turret-type unwind stand, satining calendar, FIFE web aligner (prior to printing station), infrared dryer, heating drum, FIFE web aligner (prior to embossing station), embossing station with steel/steel embossing rollers (33 cm / border embossing) and steel/paper embossing rollers (allover embossing), folding cylinders with automatic transfer and batch turning cassette for size 30 and 33 cm, production speed up to 250 m/min., as well as with ILSEMANN napkin wrapper model NW 10 (year 2008) very good condition, available from now
- 
- Ref. 917* 1 napkin wrapping machine SENNING type 522 SE/M, year 1987, range for napkin pack sizes length + width 120 - 220 mm, height 18 - 120 mm, with infeed chain, automatic film feeding, print mark control, standard perforation, central lubrication, format set for a napkin size 42 x 42 cm / Package Height 100 mm, speed 45 packs per minute, very good general condition, available from now
- 
- Ref. 963* 1 napkin folder OMET TV 501, year 1990, size 25 cm, unwind stand with reel lifter, calendering unit, web aligner, 4 colour printing (incl. ink pumps), hot air dryer, embossing station incl. 1 set of steel/paper border embossing rollers and 1 set of allover embossing rollers, 1 set folding cylinders, production speed approx. 400 m/min., auto transfer, with wrapper CASSOLI PAC 340 TP2, year 1991, speed approx. 50 packs/min., with case packer IMER ICP-486, overhauled in 2006, very good condition, available from now
- 
- Ref. 977* 1 napkin folder OMET TV 501/4A, year 1988, size 33 cm, with turret-type unwind stand, with 3 printing units, 2 embossing stations with one set of steel/steel border embossing rollers and one set of steel/paper allover embossing rollers, folding cylinders, automatic transfer, production speed approx. 300m/min., with wrapper SENNING 522SE/70, year 2002, speed approx. 70 packs/min., with semi-automatc case packer, very good condition (can be demonstrated), available from now
- 
- Ref. 983* 1 napkin wrapping machine SENNING model 522 SE/M, year 1989, range for napkin pack sizes length + width 120 - 220 mm, height 18 - 120 mm, with infeed chain, automatic film feeding, print mark control, standard perforation, central lubrication, size parts for one napkin size included (different size parts available), speed approx. 45 packs per minute, very good condition (the machine will be tested before shipment), available from now
- 
- Ref. 987* 1 double-lane HOBEMA napkin folder 14 M-2, year 1989, for size 40 x 40 cm, with driven turret-type unwind stand, satining calendar, with 2-colour flexo printing, FIFE web aligner (prior to printing station), hot-air dryer, FIFE web aligner (prior to embossing station), embossing station with 1 set of steel/steel embossing rollers (border embossing), with automatic transfer for size 40 cm, production speed up to 250 m/min. resp. 50 pack / min., incl. SENNING wrapping machine model 522 SE/P, very good condition, available from now
- 
- Ref. 989* 1 napkin wrapping machine SENNING model 522 SE/L, year 1990, range for napkin pack sizes length + width 120 - 220 mm, height 18 - 120 mm, with infeed chain, automatic film feeding, print mark control, standard perforation, central lubrication, size parts for one napkin size included (different size parts available), speed approx. 45 packs per minute, good condition (machine will be tested before shipment), available from now
- 
- Ref. 1105* 3 napkin folders OMET, PCMC und GIEBELER as a 'package', with 1 x OMET TV500 for size 34 x 34 cm, 1-colour printing, allover embossing, 1 x PCMC for size 17 x 23 resp. 23 x 23 cm, 2-colour printing, border and allover embossing, 1 x GIEBELER for size 40 x 40 cm, 3-colour printing, border embossing, each unit for manual take-away of napkins In addition, there is a HAYSSSEN wrapping machine included. The machines are in a good production condition and still in production. Available from now.
-

- Ref. 1119* 1 napkin wrapping machine SENNING model 522 SE/70, year 1996, range for napkin pack sizes length + width 120 - 220 mm, height 18 - 120 mm), laid out for a napkin size of 40 x 40 cm / 30 mm height, with infeed chain, automatic film feeding, print mark control, standard perforation, central lubrication, speed approx. 70 packs per minute, very good condition, available from now
- 
- Ref. 1149* 1 BIELOMATIK - napkin folder, year 1994, for 36, 38 and 40 cm napkins 1/4 and 1/8 fold (book-fold), speed up to 250 meter per minute, with driven unwind stand, calendering unit, web aligner, 2-colour printing, border embossing, vacuum folding with automatic transfer, 1 wrapping machine CASSOLI PAC 340 TP2 for 45 packs per minute, very good condition, available from now
- 
- Ref. 1171* 1 CONVERTEX napkin folder model SF-13, year 2000, size range 24 - 33 cm, with driven unwind stand, embossing station (two sets of steel/paper allover embossing rollers / different designs), folding cylinders for 1/4-fold (with parts for 24, 30, and 33 cm), speed approx. 500 napkins / minute, good condition, still in production, available from now.
- 
- Ref. 1177* 1 OMET TV 504 napkin folder, year 2001, for napkin size 40 (39x39) cm, with turret-type unwind, BST web aligner, steel to steel border embossing, 5-colour printing, with automatic transfer to 1 CASSOLI PAC 370 TP wrapper year 1992, output approx. 500 meter or 1.250 napkins per minute, still in production, very good condition, available from now.
- 
- Ref. 1179* 1 OMT TOMMASI MT 1600 2C napkin folder, year 1994, for napkin size 33 x 33 cm, with unwind stand, Steel to Paper Border Embossing, 2-Colour Printing, with Automatic Transfer to 1 wrapper CASSOLI PAC 340 TP 2 year 1991, output approx. 300 meter or 750 - 900 napkins per minute, still in production, good condition, available from now.
- 
- Ref. 1181* 1 PCMC SUPER 8 High Speed Napkin Folder for 1-ply napkins 33 x 33 cm, year 1989, with 2 unwind stations, Full Size Embossing, 4-Lane working, with Automatic Transfer to 1 SENNING Wrapper type 522 SE/M G2 year 1993, output 3 Million Napkins per 8-hours shift, still in production, very good condition, available from now.
- 
- Ref. 1189* 1 napkin wrapping machine SENNING model 522 SE/M, year 1989, range for napkin pack sizes length + width 120 - 220 mm, height 18 - 120 mm, laid out for a napkin size of 33 x 33 cm (100 count, single-ply) with prolonged infeed chain, automatic film feeding, print mark control, standard perforation, outfeed belt with side-sealing, central lubrication, speed approx. 45 packs per minute, very good condition (still in production), available from now
- 
- Ref. 1191* 1 CASSOLI PAC 340 TP napkin wrapper, year 1994, with size tools for napkin sizes 33 x 33 cm (packs with 80 napkins pack / single-ply), with infeed chain, automatic film feeding, print mark control, standard perforation, outfeed belt with side sealing, speed approx. 45 packs / min., good general / production condition, available from now
- 
- Ref. 1199* 1 HOBEMA - napkin folder model 28B, year 1992, with driven unwind stand, web aligner, printing tower for 3-colour printing (equipped with two printing units), infra-red dryers, 3-position embossing station with 3 sets of steel/paper-embossing rollers (border embossing sizes 25 and 33 cm, as well as allover embossing), 1 set of 1/4-folding cylinders (suction-cylinder principle) with size range 25 - 40 cm (laid out for 25 and 33 cm), 1/8-folding cylinders for double cross-folded products (also dispenser napkins), place-mat unit with 30 cm cut-off (but variable), good general condition, still in production, available from now

- Ref. 1207* 1 automatic PCMC Super 8 - Napkin Production Line, year 1994, with 4 PCMC unwind stands, 1 additional unwind stand, 4 web aligners, 3-position embossing station with 1 set of steel/steel embossing rollers (allover embossing) and 1 set of steel/steel embossing rollers (border embossing), suction-type folding cylinders for 1/4-folded napkins size 30 x 30 cm, automatic transfer to a SENNING 522SE/M/G2 wrapping machine (also included in the scope of supply), speed approx. 5.500 napkins / min. (single-ply napkins) resp. approx. 4.000 napkins / min. (multi-ply napkins), very good condition, available from now

## Pocket Handkerchiefs

- Ref. 743* 1 HOBEMA pocket hanky line model 14B-6, year 1989, complete with CASSOLI wrapper model 520 FZ and bundler AUCOUTURIER, for hankies size 210 x 210 mm, speed up to 120 packs of 10 hankies, with unwind stand (incl. web tension control and web aligner), calendering unit, embossing station with 2 sets of steel/steel embossing rollers (1 set for each border and allover embossing), length slitter, 2 length folding plates, 2 sets of cross-folding cylinders incl auto transfer to the wrapping equipment, good production condition, available from now

- Ref. 935* 1 HOBEMA pocket hanky line model 14B-6 year 1989, with CASSOLI wrapper model PAC 530 FZ and bundler PAC 390FZ, for hankies size 220 x 220 mm, speed up to 140 packs of 10 hankies, with unwind stand (incl. web tension control and web aligner), calendering unit, embossing station with 2 sets of steel/steel embossing rollers (1 set for each border and allover embossing), length slitter, 2 length folding plates, 2 sets of cross-folding cylinders + auto transfer to the wrapping equipment, good production condition, available from now

- Ref. 1111* 1 double lane Pocket Hanky Line TAU year 1999 - fully refurbished 2010 - for standard AND POCKET SIZE packs - speed 320 packs per minute real production, with TAU MF 300 folder with Calander, Steel/Steel to Flat-Head Embossing, Labeller, Wrapper TAU CF 400 for 8 - 9 - or 10 hankies per pack, Bundler TAU CS 80 for 1, 2 and 3 deck working, still in production, excellent condition, available from now

## Toilet Rolls, Bathroom Towels

- Ref. 1007* 1 PERINI Alfetta Kitchen and Toilet Roll Line, year 1990, working width 1.700 mm, with 2 unwind stands, embossing station steel/rubber, ply-bonding station, Alfetta rewriter, tail sealer, log accumulator for 180 logs, log saw incl. trimex, speed 350 meter or 12 logs per minute, with CASMATIC DVR4/5 Divertor from 2 to 3 lanes, and 1 HAYSEN HCN40/85 for 6,9 or 12 rolls in pre-made bags, good condition, on stock, available from now

- Ref. 1099* 1 complete PERINI Compact 716 B toilet roll rewriter, width 2.700 mm, year 2000, with core magazin, unwind stand, embossing station with rubber/steel embossing rollers, perforation unit, rewriter head, integrated log saw, speed approx. 180 rolls / min, excellent condition, as well as with 1 CASSOLI RA10 CIV wrapper for 4 and 6 toilet rolls, 1 CASSOLI PAC 900R for 6, 8 and 10 rolls resp. 12, 16 and 20 rolls / two-layer, 1 WRAPMATIC Multipack for 2 rolls, in addition with 1 CASSOLI IN3/A bundler, still in production, available from now.

- Ref. 1215* 1 PERINI Alfa toilet roll line, working width min. 2.700 mm, year 1985 - 1999, with 1 unwind stand 48.10, 1 embossing station 69.20 with steel/rubber embossing rollers, rewriter Alfa 68.10, tail sealer 572C, two accumulators 510 (total capacity 470 logs) incl. log loader, 2 log saws 130, 1 core winder 211, max. speed 550 m/min., very good condition, available in February 2014

**Toilet and Kitchen Rolls, Bathroom and Household Towels**

- Ref. 887* 1 WRAPMATIC Polywrap 20 wrapping machine, year 1991, with infeed belt and formation device, for 1, 2, 3, 4, 6 toilet paper rolls or 1 and 2 kitchen rolls, Siemens S5 PLC, production speed 60 - 70 Pakete / minute, available from now.
- Ref. 1069* 1 PCMC log saw type 90, for toilet rolls and kitchen towels, log diameter range from 90 - 140 mm, speed 90 cuts/min., 2-lane working, with Trimex, fully refurbished, excellent production condition, available in 2 months from date of order
- Ref. 1103* 1 PERINI ALFETTA rewinder line for toilet paper and kitchen rolls, year 1991, working width 2.700 mm, with Converpack-Sierex core winder, rewinder with 1 FUTURA unwind stand, double embossing station PERINI 48.01 (with steel/rubber embossing rollers) with web assembly, ply-bonding station, PERINI rewinder 68.40, tail sealer, 2 accumulators, 2 log saws PERINI 140, output min. 300 m/min., very good general condition, available from now - packaging machinery can be offered upon request !
- Ref. 1117* 1 ITALCONVERTING AR 3501 industrial roll rewinder width 2.250 mm, year 2002, with 1 unwind stand, perforation lengths 90 - 200 mm, embossing station with steel/rubber embossing rollers, ply-bonding, tail-sealer, log diameter range 85 - 160 mm, speed 350 meter per minute, excellent condition, available from now
- Ref. 1123* 1 WRAPMATIC PW33 for wrapping of toilet and kitchen rolls, year 1990, for 2-4-6 toilet rolls single-level with 2-line infeed, formation / grouping station, packing station, outfeed belt, speed up to 65 (of 2 or 4) packs per minute, very good production condition, available from now
- Ref. 1127* 1 WRAPMATIC PW33 for wrapping of toilet and kitchen rolls, year 1990, for 6 - 8 and 10 toilet rolls single-level with 2-line infeed, formation / grouping station, packing station, outfeed belt, speed 50 packs per minute (for 8 rolls per pack), very good production condition, available from now
- Ref. 1131* 1 CASSOLI IN/3L Super H toilet- and kitchen roll bundler, year 1988, very good production condition - available from now
- Ref. 1145* 1 PERINI Alfetta rewinder line for toilet paper and kitchen rolls, year 1988, working width 2.650 mm, with PERINI 211 core winder, 2 unwind stands, rewinder, 2 tail sealers PERINI 6530, 2 accumulators, 2 log saws, output 24 logs per minute real production, good production condition, on stock in Italy, available from now  
  
ATTENTION: we can offer for this rewinder a double-embosser PUNTA/PUNTA with lamination !
- Ref. 1209* 1 PERINI DELTA toilet and kitchen roll rewinder, width 2.650 mm, year 1988, with 1 unwind stand model 12.13, PIP embossing station model 49.10, printing equipment for 1-color print model 920, perforation unit with two perforation rollers (1 x toilet rolls / 1 x kitchen rolls), rewinder DELTA (model 65.40), tail sealer, log accumulator model 55.10 for 150 logs, log saw model 130, speed approx. 20 logs / min, very good condition, wrapping machines upon request, still in production, available from spring 2014.

*Ref. 1211* 1 CASMATIC CMW 301 (WRAPMATIC PW30) wrapping machine, year 1999, with infeed belt, packing unit and outfeed belt, for 2, 4, 6 toilet paper rolls or 1 and 2 kitchen rolls (with size parts for 4 and 6 toilet rolls), production speed 60 - 80 packs / min., very good condition (overhauled), available from now.

*Ref. 1213* 1 WRAPMATIC MW42 toilet and kitchen roll wrapping machine, year 1998 (before shipment, the machine will be completely refurbished (incl. new electronics), size parts for one packing configuration acc. to your request, (additional size parts against extra costs), with 4-lane infeed, for vertically and horizontally packed rolls, grouping station, mechanical speed 130 strokes / min. available approx. 4 months after date of order

## Facial Tissues

*Ref. 951* 1 KCC folding machine for facial tissues model 'ROTARY', year 1982, working width 480 mm, cut-off length 215 mm, speed 200 m/min, good condition, available from now

*Ref. 1089* 1 DCM EPOCHIEF interfolder for V- and M-folded products, year 1992, cut-off length 175 resp. 345 mm (depending on the number of knives), with 2 unwind stand, length slitter and edge embossing (knurling) devices, interfolder (V- and M-fold, clean-cut), speed 80 m/min., as well as with MAF banding machine (film) model SBP 4-54, year 1992, for 2-lane sleeve wrapping, very good condition, available from now.

*Ref. 1157* 1 DCM EPOCHIEF interfolder for V-folded products, year 1992, cut-off length 210 mm, with 2 driven unwind stands, length slitter and edge embossing (knurling) devices, interfolder (V-fold, clean-cut), automatic transfer (specially laid out for 'thick' materials), speed 80 m/min., as well as gang-saw to cut the logs, good condition, available from now.

## X/ Other Equipment

*Ref. 703* 1 MENZEL Rewinder for table covers, year 1978, working width max. 1.400 mm, with unwind stand for rolls of max. 1.500 mm diam., web aligner, hydraulic web tension control, for table cover rolls of 5 - 100 m, incl. MEURER wrapping machine modell CM/HS 100 (year 1985), good condition, available from now

*Ref. 807* 1 DUNI table-cover folding machine, year 1998, working width 1.000 mm, presently laid out for table-covers of size 84 x 84 cm / 'W'-fold with 1 cross-fold / sword-fold ('Professional'-fold), variable cut-off, delivery table with Schuppenauslage, variable count by means of stack marking, manual transfer / insertion of table-covers into boxes / trays, as well as with MEURER wrapping machine incl. shrink tunnel, good condition, available from now.

*Ref. 1021* 2 OVERFALZ A100 folding machines for medical pads, year 1988 resp. 1991, each machine with driven unwind stand, BST-web aligner, folding station and delivery table, 3 sets of folding cylinders in total cut-off lengths 10, 15 and 20 cm), speed depending on the product size / 250 m/min resp. 1.000 Tücher / min., good production condition / ready for production, available from now.

Ref. 1217

1 LEMO Flexo Printing Machine model CI642, for 6-color printing, laid out for film of 20 - 200 my, year 1990 (refurbished and extended in 2004), printing width 1.300 mm, printing length 300 - 1.000 mm, for reel diameter of 800 mm, with FIFE web aligner, ionization devive (prior to the rewinder), doctor-chamber blade system FlexoArt (extended in 2004), Eltromat WebVideo 2000 system, heating tunnel, very good condition, available from now

Yours Sincerely  
Hans J. Feldt **TissueNet**